DATASHEET / BROCHURE

SureColor SC-T5400M 240V



The SureColor SC-T5400M is a competitively-priced, entrylevel, 36-inch, large-format, technical printer with integrated scanner.

The SureColor SC-T5400M has been developed for those working in construction and reprographics, who value detail, precision and flexibility. It features a truly integrated scanner/copier that allows the user to scan, save and reprint old maps and blueprints, that are usually stored as hard copies.

Ease of use

A suite of intuitive features, and supporting software tools, make this technical printer user-friendly. These include a 4.3-inch colour LCD touch panel, Wi-Fi, direct from USB printing, borderless printing, scanning direct to email, network folder or USB.

Reliability

Unique Nozzle Verification Technology (NVT) helps prevent misprints. When scanning, misprints, wrinkles and shadows are eliminated, while highlighter colours are retained.

Affordability

Low total cost of ownership (TCO). Two-year standard warranty. 110/350 ml cartridges to increase production efficiency.

Workflow integration

A seamless integration into your existing workflow . Epson's automatic print application supports PDF, JPEG and TIFF formats. It also supports direct print and copying without the need for a PC.

Integrated scanner

Fast, reliable, truly integrated scanner/copier with the ability to scan up to 30.5m in length, and retain highlighted areas.

Quality

Whether printing CAD, GIS, architectural or engineering technical drawings, the SC-T5400M delivers stunning, borderless prints, on both matte and glossy media.

KEY FEATURES

- Integrated scanner With simple, top-loading functionality
- Easy to use Intuitive features throughout
- Affordable Low TCO, two-year standard warranty, large capacity ink cartridges
- Reliable
 NVT helps prevents misprints
- Simple workflow integration Seamless integration into existing workflow



PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
All-in-One Functions	Print, Scan, Copy
Ink Technology	Ultrachrome® XD2
PRINT	
First Page Out from Ready	Monochrome 22 Seconds, Colour 22 Seconds
Colours	Black, Cyan, Yellow, Magenta
Ink tank capacity	350 ml
Minimum Droplet Size	4 pl, With Variable-Sized Droplet Technology
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour
Printing Resolution	2,400 x 1,200 dpi
PAPER / MEDIA HANDLING	
Paper Formats	A1, A2, A2+, A3+, A3, A4, B1, B2, B3, B4, B5, 17 " (43.2 cm), 24 " (61.0 cm), A0, 36 " (91.4 cm)
Print Margins Sheet Media	Mode 1: 3 mm (top), 3 mm (right), 20 mm (bottom), 3 mm (left)
Print Margins Roll Media	Mode 1: 3 mm (top), 3 mm (bottom)
Compatible Paper Thickness	
Borderless printing on	254 mm, 300 mm, 330 mm, 406 mm, 432 mm, 515 mm, 594 mm, 610 mm, 728 mm, 841 mm,
	914 mm
GENERAL	
Energy Use	38 W, 13 W (standby), 0.25 W (Power off)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	1,385 x 750 x 1,060 mm (Width x Depth x Height)
Product weight	88 kg
Sound Power	Operation: 7.5 B (A)
Mobile & Cloud printing services	Apple AirPrint
Noise Level	Operation: 50 dB (A) - standby: 32 dB (A)
OTHER FEATURES	Distant OD
Memory Emulations	Printer: 1 GB
Features	ESC/P-R, HP-GL2, RTL Touchscreen, Direct print from USB
OTHER	Mar OO V 40.0.0 and the Windows 40 Windows 7 Windows 0 Windows Victor Windows VD
Compatible Operating	Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, Windows Vista, Windows XP
Systems	
Intorfaceo	
	USB 3.0, Gigabit ethernet interface, Wireless LAN IEEE 802.11b/g/n (WiFi 4), Wi-Fi Direct
Interfaces Media Handling	USB 3.0, Gigabit ethernet interface, Wireless LAN IEEE 802.11b/g/n (WiFi 4), Wi-Fi Direct Auto cutter, Roll Paper
Media Handling	Auto cutter, Roll Paper
Media Handling LCD AND MEMORY CARDS LCD screen	Auto cutter, Roll Paper
Media Handling LCD AND MEMORY CARDS LCD screen SCAN	Auto cutter, Roll Paper
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB)
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical)
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new)	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4.5 inch/sec (Colour, Single-sided, 200 dpi; 7.5 inch/sec (Monochrome, Single-sided, 200 dpi;
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new)	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB)
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4.5 inch/sec (Colour, Single-sided, 200 dpi; 7.5 inch/sec (Monochrome, Single-sided, 200 dp
Media Handling	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4.5 inch/sec (Colour, Single-sided, 200 dpi; 7.5 inch/sec (Monochrome, Single-sided, 200 dp
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length COPY Reduction / Enlargement	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4.5 inch/sec (Colour, Single-sided, 200 dpi; 7.5 inch/sec (Monochrome, Single-sided, 200 dpi 30.5 m
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length COPY	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi x 600 dpi (Horizontal x Vertical) 4.5 inch/sec (Colour, Single-sided, 200 dpi; 7.5 inch/sec (Monochrome, Single-sided, 200 dpi 30.5 m 25 % - 400 %
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length COPY Reduction / Enlargement Maximum number of copies Thickness	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi (Horizontal x Vertical) 4.5 inch/sec (Colour, Single-sided, 200 dpi; 7.5 inch/sec (Monochrome, Single-sided, 200 dpi 25 % - 400 % 99
Media Handling LCD AND MEMORY CARDS LCD screen SCAN Advanced document integration Output formats Scanner type Light Source Optical Resolution Scanning Speed (new) Maximum Scan Length COPY Reduction / Enlargement Maximum number of copies	Auto cutter, Roll Paper Type: Colour, Touchscreen, Diagonal: 10.9 cm E-mail, FTP, Network folders, USB, USB Memory Device JPEG, TIFF, PDF Contact image sensor (CIS) Dual LED (RGB) 600 dpi (Horizontal x Vertical) 4.5 inch/sec (Colour, Single-sided, 200 dpi; 7.5 inch/sec (Monochrome, Single-sided, 200 dpi 25 % - 400 % 99

SureColor SC-T5400M 240V

WHAT'S IN THE BOX

- Warranty document
- User manual (CD)
- AC cable
- Main unit
- Paper stacker
- Individual Ink Cartridges
- Driver and utilities (CD)
- Setup guide
- Printer stand



SUPPLIES

Singlepack UltraChrome XD2 T41F440 Yellow 350ml	C13T41F440
Singlepack UltraChrome XD2 T41F340 Magenta 350ml	C13T41F340
Singlepack UltraChrome XD2 T41F240 Cyan 350ml	C13T41F240
Maintenance Box T699700	C13T699700
Singlepack UltraChrome XD2 T41R440 Yellow 110ml	C13T41R440
Singlepack UltraChrome XD2 T41R340 Magenta 110ml	C13T41R340
Singlepack UltraChrome XD2 T41R240 Cyan 110ml	C13T41R240
Singlepack UltraChrome XD2 T41F540 Black 350ml	C13T41F540
Coated Paper 95, 914mm x 45m	C13S045285
Coated Paper 95, 610mm x 45m	C13S045284
Bond Paper White 80, 914mm x 50m	C13S045275
Bond Paper White 80, 841mm x 50m	C13S045274
Bond Paper White 80, 610mm x 50m	C13S045273
Bond Paper White 80, 594mm x 50m	C13S045272
Borderless Replacement Pad Kit Tx400	C13S400064
Auto Cutter Spare Blade S902007	C13S902007
Enhanced Synthetic Paper Roll, 24" x 40 m, 84g/m{s2}	C13S041614
Bond Paper Satin 90, 610mm x 50m	C13S045282
Bond Paper Bright 90, 914mm x 50m	C13S045280
Bond Paper Bright 90, 841mm x 50m	C13S045279
Bond Paper Bright 90, 610mm x 50m	C13S045278
Bond Paper Bright 90, 594mm x 50m	C13S045277
Singlepack UltraChrome XD2 T41R540 Black 110ml	C13T41R540
Singleweight Matte Paper Roll, 24" x 40 m, 120g/m{s2}	C13S041853
Singleweight Matte Paper Roll, 17" x 40 m, 120g/m{s2}	C13S041746
Premium Semigloss Photo Paper, 16,5" x 30,5 m, 160g/m{s2}	C13S042075
Premium Glossy Photo Paper Roll, 16" x 30,5 m, 170g/m{s2}	C13S042076
Matte Backlit Film, 24" x 30,5 m, 280g/m{s2}	C13S045083
Production PP Film Matte, 914mm x 30,5m	C13S045522
Premium Semigloss Photo Paper Roll, 24" x 30,5 m, 160g/m{s2}	C13S041393
Production Poly Textile B1 Light (180), 914mm x 50m	C13S045524
Production Poly Textile B1 (290), 914mm x 30m	C13S045525
Presentation Paper HiRes 180, 914mm x 30m	C13S045292
Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2}	C13S041617
Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2}	C13S041385
Presentation Paper HiRes 180, 610mm x 30m	C13S045291
Presentation Paper HiRes 120, 914mm x 30m	C13S045288
Presentation Paper HiRes 120, 610mm x 30m	C13S045287
Premium Glossy Photo Paper Roll, 24" x 30,5 m, 166g/m{s2}	C13S041390
Photo Quality Ink Jet Paper, DIN A3, 102g/m{s2}, 100 Sheets	C13S041068
Enhanced Matte Paper, DIN A4, 192g/m{s2}, 250 Sheets	C13S041718
Photo Quality Ink Jet Paper, DIN A3+, 102g/m{s2}, 100 Sheets	C13S041069
Photo Quality Ink Jet Paper, DIN A2, 102g/m{s2}, 30 Sheets	C13S041079
Archival Matte Paper - A4 - 50 Sheets	C13S041342
Archival Matte Paper, DIN A3, 189g/m{s2}, 50 Sheets	C13S041344
Archival Matte Paper, DIN A3+, 189g/m{s2}, 50 Sheets	C13S041340
Premium Semigloss Photo Paper, DIN A2, 250g/m{s2}, 25 Sheets	C13S042093
Enhanced Matte Paper, DIN A3+, 192g/m{s2}, 100 Sheets	C13S041719
Enhanced Matte Paper, DIN A2, 192g/m{s2}, 50 Sheets	C13S042095
Premium Luster Photo Paper, DIN A4, 250g/m{s2}	C13S041784
Premium Luster Photo Paper, DIN A3+, 250g/m{s2}	C13S041785
Premium Luster Photo Paper, DIN A2, 250g/m{s2}, 25 Sheets	C13S042123
Premium Glossy Photo Paper, DIN A3, 255g/m{s2}, 20 Sheets	C13S041315
Premium Glossy Photo Paper, DIN A3+, 250g/m{s2}, 20 Sheets	C13S041316
Premium Semigloss Photo Paper, DIN A3, 251g/m{s2}, 20 Sheets	C13S041334

SureColor SC-T5400M 240V

SKU	C11CH65301A1
EAN code	8715946677439
Country of Origin	Indonesia

For more information please contact:

Web: www.epson.co.uk www.epson.ie

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2019-10-04

