SureColor SC-P8500DL STD



A 44-inch commercial printer with a compact design and 1.6-litre ink packs, for high print runs of large-format photos and posters.

A fully integrated solution that offers productive printing, smart features and easy operation. The unobtrusive design is compact because of the flat top and back surface of the printer, and its shallow depth. The SC-P8500DL has been engineered with the Epson PrecisionCore MicroTFP printhead and 6-colour UltraChrome Pro6 pigment inks; which includes a new grey ink to broaden the colour gamut.

Fast and feature-rich

The 2.64-inch PrecisionCore MicroTFP printhead prints up 18m²/hr in photo quality and features auto-switching between two different media types or sizes. Also, the automatic take-up reel enables high productivity roll-to-roll printing and the new drop-in auto paper loading system makes it easy for inexperienced users to handle media, including cutsheet and posterboard. Includes Wi-Fi connectivity.

Compact footprint - versatile design

The SC-P8500DL's design is both contempary and compact. It fits into most working environments because of its flat and unobtrusive design.

Highly detailed prints, every time

The SC-P8500DL's 6-colour UltraChrome Pro6 pigment inkset - including a new grey ink broadens the colour gamut and provides smooth gradation and less graininess. This means the print quality is equivalent to other 8-colour printers. The PrecisionCore MicroTFP printhead, Variable Sized Droplet Technology and Nozzle Verification Technology combine to produce vibrant, high-quality images. It's also supported by Adobe Postscript 3, delivering faster processing times for the most complex image reproduction¹.

Security and management features

The SC-P8500DL includes enhanced IT and security features. Also, workloads can be managed more efficiently, through central management tracking applications: Epson Cloud Solutions PORT and Epson Device Admin.

KEY FEATURES

- Compact and contemporary design Fits seamlessly into most working environments. Wi-Fi connectivity.
- Versatility
 Dual roll, auto take-up, auto-switching,
 1.6-litre ink packs
- Impressive print speeds
 Prints up to 18m²/hr in photo quality
- Management features
 Epson Cloud Solutions PORT and Epson
 Device Admin
- Vibrant, high-quality images 8-colour quality from a 6-colour printer



PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method PrecisionCore™ Micro TFP printhead

Ink Technology Ultrachrome® Pro6

PRINT

Number of colours 6 colour

Photo Black [Pigment], Matte Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta Colours

[Pigment], Grey [Pigment]

Photo Black [1600ml], Matte Black [1600ml], Cyan [1600ml], Yellow [1600ml], Magenta Colours Capacity

[1600ml], Red [1600ml], Grey [1600ml]

Minimum Droplet Size 3.5 pl, With Variable-Sized Droplet Technology

Minimum line width 0.02 mm Line accuracy +/- 0.26 Print Speeds (CAD A1 page Quick 2 ppm

size)

PC, MAC, Network, Mobile Device, Cloud, Direct USB Print from

Ink tank capacity 1.600 ml

Nozzle Configuration 1,600 Nozzles per Color 1,200 x 2,400 DPI Printing Resolution Printing Resolution - Draft 300 x 300 DPI Printing Resolution -1,200 x 2,400 DPI

Maximum Quality

Printing Resolution - Speed 300 x 600 DPI LUT. ICC Profile Colour Profiles

PAPER / MEDIA HANDLING

 $17",\,24",\,36",\,44",\,A5\,\,(14.8x21.0\,\,\mathrm{cm}),\,A4\,\,(21.0x29.7\,\,\mathrm{cm}),\,A3\,\,(29.7x42.0\,\,\mathrm{cm}),\,A2\,\,(42.0x59.4\,\mathrm{cm}),\,A3\,\,(29.7x42.0\,\,\mathrm{cm}),\,A4\,\,(21.0x29.7\,\,\mathrm{cm}),\,A4\,\,(21.0$ Paper Formats

A1, A0, B0, B1 (72.8x102.8 cm)

Single Sheet 0.1 mm, Roll 0.8 mm, Rigid board suppported Thickness

Compatible Paper Thickness 0.1 mm - 1.5 mm

Auto Take Up Reel Yes

Printable Length Roll 91.5 Minimum

Roll Capacity - Diameter Roll 1: 170 mm, Roll 2: 170 mm Roll Capacity - Weight Roll 1: 12,500 g, Roll 2: 12,500 g

20 inches, 10" (25.4cm) Roll, 17" (43.1cm) Roll, 24" (60.9cm) Roll, 36" (91.4cm) Roll, 44" Borderless printing on

(111.8cm) Roll

GENERAL

Power consumption 70 Watt, 0.3 Watt (standby) Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

1,848 x 499 x 975 mm (Width x Depth x Height) **Product dimensions**

155 kg Product weight

Sound Power Operation: 49.6 B (A) - Standby: 6.6 B (A) Mobile and Cloud printing Apple AirPrint, Epson Cloud Solution PORT

services

Document carrier sheet A0, Cover Plus warranty extensions, SSD (Solid State Drive),

Production Stacker, Roll Feed Spindle 44"

OTHER FEATURES

Optional extras

Memory

Compatible Operating Mac OS X, Windows 10, Windows 11, macOS 11 or later

Systems

ESC/P-R. PostScript 3. Adobe® Postscript 3®. PDF 1.7. HP-GL2. RTL **Emulations** 1TB SSD

Optional storage

Touchscreen, Bluetooth, Direct print from USB, Driver Preview, Auto Take up Reel, Nozzle **Features** Verification Technology

Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/100-Interfaces

Base TX/ 10-Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac

Optional Software & Solutions Epson Print Automate, Epson Edge, Epson Cloud Solution PORT, Epson Print Layout, Epson

LFP Accounting Tool, Epson Device Admin, Epson Edge Dashboard, Epson Print Admin,

Epson Print Admin Serverless

Security SNMP, IPSec, AES-128, AES-256, Data storage Encryption, Data Encryption, WPA3, NFC -

Card Authentication Reader, TMP (Trusted Platform Module), PIN code Release, Image

Overwrite, User Authorisation, LDAP. IEEE802. SSL/TLS

SureColor SC-P8500DL STD

WHAT'S IN THE BOX

- Warranty Documents
- User manual (CD)
- Setup guide
- Maintenance boxes
- Maintenance box
- SureColor P-Series Printer



PRODUCT SPECIFICATIONS

LCD AND MEMORY CARDS		
Panel	Type: Color, Touch-panel, Diagonal: 11 cm	
OTHER		
Warranty	24 months On-site service	
	Optional warranty extension available	

SureColor SC-P8500DL STD

WHAT'S IN THE BOX

- Warranty Documents
- User manual (CD)
- Setup guide
- Maintenance boxes
- Maintenance box
- SureColor P-Series Printer



SUPPLIES

SureColor SC-P8500DL STD

Cleaning Stick S090013 (50 pcs)	C13S090013
● P-Series Photo Black IIPS Ink 1600ml	C13T53F100
P-Series Cyan IIPS Ink 1600ml	C13T53F200
P-Series Magenta IIPS Ink 1600ml	C13T53F300
P-Series Yellow IIPS Ink 1600ml	C13T53F400
P-Series Matte Black IIPS Ink 1600ml	C13T53F800
P-Series Gray IIPS Ink 1600ml	C13T53F700
Maintenance Box (Tx700/Px500)	C13S210115
Auto Cutter Blade	C13S210117
 Borderless Maintenance Box (Tx700/Px500) 	C13S210116
 Archival Matte Paper, DIN A3+, 189g/m{s2}, 50 Sheets 	C13S041340
 Archival Matte Paper, DIN A3, 189g/m{s2}, 50 Sheets 	C13S041344
 Archival Matte Paper - A4 - 50 Sheets 	C13S041342
Double Sided Matte Paper - A4 - 50 Sheets	C13S041569
 Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2} 	C13S041385
 Doubleweight Matte Paper Roll, 44" x 25 m, 180g/m{s2} 	C13S041387
 Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2} 	C13S041617
 Enhanced Adhesive Synthetic Paper Roll, 44" x 30,5 m, 135g/m{s2} 	C13S041619
Enhanced Matte Paper, 17" x 30,5 m, 189g/m{s2}	C13S041725
Enhanced Matte Paper, 24" x 30,5 m, 189g/m{s2}	C13S041595
Enhanced Matte Paper, 44" x 30,5 m, 189g/m{s2}	C13S041597
 Enhanced Matte Paper, DIN A2, 192g/m{s2}, 50 Sheets 	C13S042095
Enhanced Matte Paper, DIN A3+, 192g/m{s2}, 100 Sheets	C13S041719
 Enhanced Matte Paper, DIN A4, 192g/m{s2}, 250 Sheets 	C13S041718
 Enhanced Matte Posterboard, DIN A2, 800g/m{s2}, 20 Sheets 	C13S042111
 Enhanced Matte Posterboard, DIN A3+, 800g/m{s2}, 20 Sheets 	C13S042110
Enhanced Synthetic Paper Roll, 24" x 40 m, 84g/m{s2}	C13S041614
• Enhanced Synthetic Paper Roll, 44" x 40 m, 84g/m{s2}	C13S041616
• Matte Backlit Film, 24" x 30,5 m, 280g/m{s2}	C13S045083
• Matte Backlit Film, 44" x 30,5 m, 280g/m{s2}	C13S045084
Matte Paper Heavy Weight, DIN A3+, 167g/m{s2}, 50 Sheets	C13S041264
Matte Paper Heavy Weight, DIN A3, 167g/m{s2}, 50 Sheets	C13S041261
Matte Paper Heavy Weight, DIN A4, 167g/m{s2}, 50 Sheets	C13S041256
 Photo Paper Gloss, 17" x 30,5 m, 250g/m{s2} 	C13S041892
 Photo Paper Gloss, 24" x 30,5 m, 250g/m{s2} 	C13S041893
 Photo Paper Gloss, 36" x 30,5 m, 250g/m{s2} Photo Paper Gloss, 44" x 80.5 m, 250g/m{s2} 	C13S041894
 Photo Paper Gloss, 44" x 30,5 m, 250g/m{s2} Photo Paper Gloss, 44" x 30,5 m, 250g/m{s2} 	C13S041895
Photo Quality Ink Jet Paper, DIN A2, 102g/m{s2}, 30 Sheets Photo Quality Ink Jet Paper, DIN A3, 102g/m{s2}, 100 Sheets	C13S041079
 Photo Quality Ink Jet Paper, DIN A3+, 102g/m{s2}, 100 Sheets Photo Quality Ink Jet Paper, DIN A3+102g/m{s2}, 100 Sheets 	C13S041069
 Photo Quality Ink Jet Paper, DIN A3, 102g/m{s2}, 100 Sheets 	C13S041068
Photo Quality Inkjet Paper - A4 - 100 Sheets Promium Convos Setio 17" x 13 2m 350g/m(s2)	C13S041061 C13S041846
 Premium Canvas Satin, 17" x 12.2m, 350g/m{s2} 	
 Premium Canvas Satin, 24" x 12,2 m, 350g/m{s2} Premium Canvas Satin, 44" x 12,2 m, 350g/m{s2} 	C13S041847 C13S041848
 Premium Glossy Photo Paper Roll, 16" x 30,5 m, 170g/m{s2} 	C13S042076
 Premium Glossy Photo Paper Roll, 16" x 30,5 m, 260g/m{s2} 	C13S042070
 Premium Glossy Photo Paper Roll, 24" x 30,5 m, 170g/m{s2} 	C13S041742
 Premium Glossy Photo Paper Roll, 24" x 30,5 m, 260g/m{s2} 	C13S041638
 Premium Glossy Photo Paper Roll, 24 x 30,5 m, 170g/m{s2} Premium Glossy Photo Paper Roll, 44" x 30,5 m, 170g/m{s2}	C13S041392
Premium Glossy Photo Paper Roll, 44" x 30,5 m, 260g/m{s2} Premium Glossy Photo Paper Roll, 44" x 30,5 m, 260g/m{s2}	C13S041640
Premium Glossy Photo Paper, DIN A2, 255g/m{s2}, 25 Sheets • Premium Glossy Photo Paper, DIN A2, 255g/m{s2}, 25 Sheets	C13S042091
 Premium Glossy Photo Paper, DIN A3+, 255g/m(s2), 20 Sheets 	C13S042091
Premium Glossy Photo Paper, DIN A3, 255g/m{s2}, 20 Sheets Premium Glossy Photo Paper, DIN A3, 255g/m{s2}, 20 Sheets	C13S041315
 Premium Luster Photo Paper, 16" x 30,5 m, 260g/m{s2} 	C13S042079
· · · · · · · · · · · · · · · · · · ·	

LOGISTICS INFORMATION

SKU	C11CJ75301A1
EAN code	8715946699660
Country of Origin	Indonesia

For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742
Or visit us at https://www.epson.co.uk/contactus
* 10p per minute plus network extras.

Web: www.epson.co.uk www.epson.ie

1. PDF, JPEG, TIFF, EPS, Cals-G4 data files

